

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant :	Isabel Gavela, et al.	Art Unit :	2817
Serial No. :	10/584,374	Examiner :	Kimberly E. Glenn
Filed :	April 30, 2007	Confirmation No.:	1286
Title :	LOW-RISE DUPLEXER	Notice of Allowance Date:	August 10, 2009

MAIL STOP ISSUE FEE

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

COMMENTS ON EXAMINER'S REASONS FOR ALLOWANCE

Applicant recognizes that in accordance with M.P.E.P. § 1302.14, the Examiner's reasons for allowance need not set forth all of the details as to why the claims are allowed. In the above-referenced application, Applicant does not concede that the Examiner's stated reasons for allowance are the only reasons for which the claims are allowable. In particular, Applicant does not concede that all of the identified limitations—i.e., “wherein an output of the Rx filter on the bottom side of the ceramic body is electrically connected to a balun, the balun being implemented in a low-temperature co-fired ceramic (LTCC) on a bottom side of the Rx filter, and wherein the ceramic body has a first height in an area of the Tx filter and a second height in an area of the Rx filter, the second height being less than the first height.”—are necessary to distinguish the prior art of record or to satisfy the requirements of 35 U.S.C. § 112. Furthermore, the claims may be patentable for other reasons.


Applicant : Isabel Gavela, et al.
Serial No. : 10/584,374
Filed : April 30, 2007
Page : 2 of 2

Attorney's Docket No.: 14219-0116US1 / P2004,0009
US N

Please apply any additional charges or credits to our Deposit Account No. 06-1050,
referencing Attorney Docket No. 14219-0116US1.

Respectfully submitted,

Date: November 9, 2009



Timothy M. Bryan
Reg. No. 62,791

Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110
Telephone: (617) 542-5070
Facsimile: (877) 769-7945